GUN ACCESSORIES

RECOIL PADS AND RUBBER PROTECTIONS

CERVELLATI

dal 1937

Owned by the EXSTO Group

OUR RANGE

OUR HISTORY, YOUR PASSION.

MICROCELL p. 4

RUBBER ACCESSORIES p. 6

RUBBER RECOIL PADS p. 8

Find the perfect solution to improve your comfort and to reduce the recoil of the shot

CERVELLATI
dal 1937

MICROCELL

MICROCELL® is the **softest** and **lightest** recoil pad on the market.
In addition to our famous standard models, new grind-to-fit designs are now available.
Find the perfect recoil pad for your needs!

GRIND TO FIT

MICROCELL® STANDARD TEXTURE

Our traditional Microcell® recoil pads, grind to fit any stocks, available in 2 densities, 3 thickness and with different distance between the holes.

DENSITY	HOLES DISTANCE	THICKNESS	WEIGHT	CODE	TEMPLATE	AVAILABLE COLOURS
Soft	Ø 80 mm	15 mm	56 g	214436	CERV001 Dimensions: 146 x 48 mm	black, brown and red
		23 mm	71 g	214435		
		32 mm	85 g	214439		
Extra-soft		15 mm	55 g	214438		
		23 mm	70 g	214437		
		32 mm	82 g	214440		
Soft	Ø 92 mm	15 mm	56 g	213110		
		23 mm	71 g	213109		
		32 mm	85 g	213783		
Extra-soft		15 mm	55 g	213114		
		23 mm	70 g	213113		
		32 mm	82 g	213784		

MICROCELL® LEATHER EFFECT

Microcell is the lightest material on the market for recoil pads. Its outstanding recoil absorption guarantees the best comfort.

DENSITY	HOLES DISTANCE	THICKNESS	WEIGHT	CODE	TEMPLATE	AVAILABLE COLOURS
Soft	Ø 80 mm	15 mm	56 g	214442	CERV001 Dimensions: 146 x 48 mm	black, brown and red
		23 mm	71 g	214441		
Extra-soft		15 mm	55 g	214444		
		23 mm	70 g	214443		
Soft	Ø 92 mm	15 mm	56 g	213786		
		23 mm	71 g	213785		
Extra-soft		15 mm	55 g	213788		
		23 mm	70 g	213787		

Please, check the real size in the templates, page 14 and 15

SLOPING HEAD MICROCELL®

NEW

Maximum grip reduction due to its silky texture and sloping head, for the easiest shouldering.

HOLES DISTANCE	Ø 80 - 85 mm	
THICKNESS	15 mm	23.5 mm
WEIGHT	52 g	65 g
CODE	217318	217319
TEMPLATE / SIZE	CERV002 / 132.7 x 46.8 mm	
COLOURS	black, brown and red	

SMOOTH MICROCELL®

Suitable for smaller stocks. Extra soft density. With centering pins on the rear side.

HOLES DISTANCE	Ø 82 mm
DIMENSIONS	132.7 x 82 x H 23 mm
WEIGHT	59 g
CODE	214665
TEMPLATE	CERV006
COLOURS	black

CURVED MICROCELL®

NEW

Ergonomic shape to guarantee great stability during the shot.

HOLES DISTANCE	Ø 92 mm	
THICKNESS	16.5 mm	25 mm
WEIGHT	62 g	96 g
CODE	217310	217311
TEMPLATE / SIZE	CERV001 / 146 x 48 mm	
COLOURS	black, brown and red	

TRAP MICROCELL®

NEW

Ergonomic shape to guarantee great stability during the shot.

HOLES DISTANCE	Ø 92 mm	
THICKNESS	16.5 mm	25 mm
WEIGHT	62 g	82 g
CODE	217314	217315
TEMPLATE / SIZE	CERV001 / 146 x 48 mm	
COLOURS	black, brown and red	

FLAT MICROCELL®

NEW

The extra 1 mm on the outline facilitates the grinding.

The **THINNEST** recoil pad! Only **11 mm**

HOLES DISTANCE	Ø 92 mm	
THICKNESS	11 mm	23 mm
WEIGHT	60 g	79 g
CODE	217322	217323
TEMPLATE / SIZE	CERV001 / 146 x 48 mm	
COLOURS	black, brown and red	

MICROCELL

READY TO FIT

Innovative design, no grinding required

RECOIL PAD

for Remington 700 BDL 4 7/8” and others

Ideal for the following guns:
- Remington 700 ADL/BDL 4-7/8” Flat Stock Wood
- Ithaca Model 37 (≤ 1970)
- Ruger M77 Mk II Compact
- SAKO 75 & Finlight + model A7
- Benelli M1 Tactical
- and most of TIKKA and Winchester guns

HOLES DISTANCE	Ø 73 - 84 mm
THICKNESS	25 mm
WEIGHT	52 g
CODE	216097
TEMPLATE / SIZE	CERV003 / 122.5 x 40.5
COLOURS	black

RECOIL PAD

for Remington 700 SPS and others

Ideal for the following guns:
- Remington 700 SPS Synthetic
  (plastic spacer 216099 required)
- CZ model O/U Ultra Lite
- Browning B725
- Beretta hunting stocks (5”)

HOLES DISTANCE	Ø 76.5 - 87.5 mm
THICKNESS	25 mm
WEIGHT	56 g
CODE	216098
TEMPLATE / SIZE	CERV004 / 127.8 x 42
COLOURS	black

Please, check the real size in the templates, page 14 and 15

RUBBER ACCESSORIES

CHEEK PIECE

Glue or double-sided tape can be used to fix it onto the stock.

DIMENSIONS	140 x 80 mm
WEIGHT	87 g
CODE	202553
COLOURS	black and brown

COMB RAISER

Glue or double-sided tape can be used to fix it onto the stock.

TYPE	N° 1	N° 2	N° 3
DIMENSIONS	5 mm thick	10 mm thick	15 mm thick
WEIGHT	31 g	39 g	45 g
CODE	202591	202595	202599
COLOURS	black and brown		

ADJUSTABLE STOCK ELEVATOR

TYPE	silicone stock elevator	adjustable set
DIMENSIONS	200 x 37 mm	-
WEIGHT	168 g	130 g
CODE	214577	214697
COLOURS	black	

The stock elevator in soft silicone can be installed onto any wood stocks. Black only. The silicone comb and the adjustable set can be purchased separately.

SPACERS

Grind-to-fit any stocks.

THICKNESS	4 mm thick	5 mm thick	6 mm thick
WEIGHT	34 g	37 g	40 g
CODE	202481	202482	202485
COLOURS	black		

STRAIGHT PITCH SPACER

NEW

Grind-to-fit any stocks
Slotted hole



HOLES DISTANCE	Ø 80 - 85 mm
DIMENSIONS	6 mm at the top, 3 mm at the bottom
WEIGHT	38 g
CODE	217646
COLOURS	black

FINGER TRIGGER GUARD

TYPE	without screw	with screw
DIMENSIONS	L 30 x W 13 x H 16 mm	L 31 x W 13 x H 16 mm
WEIGHT	1.5 g	2.5 g
CODE	202557	202562
COLOURS	black	

RUBBER RECOIL PADS

202246

TYPE	49	WEIGHT	84 g
DIMENSIONS	45 X 137 X H 14 mm	CODE	202246
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202251

TYPE	50	WEIGHT	130 g
DIMENSIONS	45 X 137 X H 23 mm	CODE	202251
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202256

TYPE	51	WEIGHT	98 g
DIMENSIONS	45 X 137 X H 17 mm	CODE	202256
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202261

TYPE	52	WEIGHT	181 g
DIMENSIONS	50 X 140 X H 30 mm	CODE	202261
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202266

TYPE	53	WEIGHT	123 g
DIMENSIONS	50 X 140 X H 20 mm	CODE	202266
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202271

TYPE	54	WEIGHT	85 g
DIMENSIONS	45 X 137 X H 14 mm	CODE	202271
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202281

TYPE	55 Adjustable Flat	WEIGHT	232 g
DIMENSIONS	50 X 140 X H 26 mm	CODE	202281
HOLES DISTANCE	85 mm	COLOURS	black

202286

TYPE	55 Adjustable Curved	WEIGHT	230 g
DIMENSIONS	50 X 140 X H 26 mm	CODE	202286
HOLES DISTANCE	85 mm	COLOURS	black

217072

TYPE	55 Flat (no metal plates)	WEIGHT	180 g
DIMENSIONS	50 X 140 X H 26 mm	CODE	217072
HOLES DISTANCE	85 mm	COLOURS	black

209048

TYPE	55 Curved (no metal plates)	WEIGHT	180 g
DIMENSIONS	50 X 140 X H 26 mm	CODE	209048
HOLES DISTANCE	85 mm	COLOURS	black

RUBBER RECOIL PADS

202367

TYPE	64	WEIGHT	152 g
DIMENSIONS	50 X 140 X H 26 mm	CODE	202367
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202377

TYPE	65	WEIGHT	184 g
DIMENSIONS	50 X 140 X H 28 mm	CODE	202377
HOLES DISTANCE	80 mm	COLOURS	brown, black and red

202462

TYPE	84 Woodcock	WEIGHT	175 g
DIMENSIONS	50 X 140 X H 28 mm	CODE	202462
HOLES DISTANCE	80 mm	COLOURS	black

All our rubber recoil pads can be easily ground to fit any stocks.

The above-stated weight refers to their original size before grinding.

RUBBER LEATHER

TYPE	Leather effect Ø 80 mm	
HOLES DISTANCE	80 mm	
DIMENSIONS	48 x 146 x H 15 mm	48 x 146 x H 23 mm
WEIGHT	89 g	139 g
CODE	214568	214569
TEMPLATE	CERV001	
COLOURS	brown, black and red	

RUBBER LEATHER

TYPE	Leather effect Ø 92 mm	
HOLES DISTANCE	92 mm	
DIMENSIONS	48 x 146 x H 15 mm	48 x 146 x H 23 mm
WEIGHT	89 g	139 g
CODE	214594	214595
TEMPLATE	CERV001	
COLOURS	brown, black and red	

Please, check the real size in the templates, page 14 and 15

SLIP-ON RECOIL PADS

TYPE	N°2	N°3	Standard	N°4
DIMENSIONS	129x39 mm	130x42 mm	134x42 mm	135x49 mm
WEIGHT	64 g	75 g	85 g	95 g
CODE	202517	202522	202532	202527
COLOURS	available in black and light brown natural rubber			

NEW RUBBER RECOIL PADS

CURVED RUBBER PADS

NEW

TYPE	Curved Rubber Pad - Light	
HOLES DISTANCE	80 - 85 mm	
DIMENSIONS	47.7 x 145.5 x H 16.5 mm	47.7 x 145.5 x H 25 mm
WEIGHT	123 g	170 g
CODE	217326	217327
TEMPLATE	CERV005	
COLOURS	brown, black and red	

TRAP RUBBER PADS

NEW

TYPE	Trap Rubber Pad - Light	
HOLES DISTANCE	80 - 85 mm	
DIMENSIONS	47.7 x 145.5 x H 16.5 mm	47.7 x 145.5 x H 25 mm
WEIGHT	120 g	171 g
CODE	217330	217331
TEMPLATE	CERV005	
COLOURS	brown, black and red	

FLAT RUBBER PADS

- PATENTED-

The **THINNEST** recoil pad!
Only **11 mm**

NEW

TYPE	Flat Rubber Pad - Light	
HOLES DISTANCE	80 - 85 mm	
DIMENSIONS	47.7 x 145.5 x H 11 mm	47.7 x 145.5 x H 23 mm
WEIGHT	84 g	125 g
CODE	217338	217339
TEMPLATE	CERV005	
COLOURS	brown, black and red	

Please, check the real size in the templates, page 14 and 15

NEW RUBBER RECOIL PADS

Still prefer traditional rubber recoil pads?

Cervellati patented an innovative solution to overcome the problem of heavy weight, common with rubber pads!

Three new shapes are now available in a soft rubber, and they can be ground to match any stock. Curved, trap and ultra-thin flat recoil pads can be reduced to a minimum size of 125 x 35.7 mm.



The weight is significantly decreased thanks to wide cavities in the back, which also improve the absorption rate.

Easy to grind, perfect result and reduced weight! Available in English red, brown and black colours.

The indicated weight refers to the original size of the recoil pads, before grinding.

SLOPING-HEAD RUBBER RECOIL PADS

Our new sloping-head rubber pad is designed to make it easier and quicker raising the gun. With a central cavity to reduce the weight, these recoil pads can be adapted to any hunting stocks.

NEW

TYPE	Sloping-Head Recoil Pad	
HOLES DISTANCE	80 - 85 mm	
DIMENSIONS	45.2 x 131 x H 15 mm	45.2 x 131 x H 23.5 mm
WEIGHT	88 g	143 g
CODE	217334	217335
TEMPLATE	CERV002	
COLOURS	brown, black and red	

RECOIL PAD TEMPLATES



CERV001



CERV004



CERV002



CERV005



CERV003



CERV006

MICROCELL® FITTING TIPS

To grind the toe end of Microcell® recoil pads, it is necessary to use a high-speed machine. We recommend employing a 400 grit sanding belt for finishing. The product does not melt, however failing to use a fine sanding belt might damage the pad external appearance. Best results can be achieved by using a new and lubricated belt and the stock should be gently drawn close to the belt.

ABOUT US

Cervellati: a long tradition in accessories for guns

Soon after WW2, Cervellati started its production of rubber accessories for sport rifles and shotguns, along with the manufacture of industrial products for a variety of sectors.

In 2010, Microcell® recoil pads were launched worldwide: a breakthrough innovation that pushed recoil absorption to the next level. Microcell® is the lightest recoil pad on the market, with the best performance in reducing the recoil.

With more than 70-year experience, Cervellati developed hundreds of different models of recoil pads and protections for the major European OEMs, and for many other gun manufacturers all over the world.

The production facility and its internal process are certified according to the quality UNI EN ISO 9001:2015 regulations.

THE EXSTO GROUP

In 2019, Cervellati became part of EXSTO, an international group with HQ in France and subsidiaries in Italy, USA and Brasil, specialised in the production of polyurethane, rubber and thermoplastics parts for all industries.

In our site of San Lazzaro (Bologna), we specialize in the manufacture of industrial parts according to the customer's drawing in rubber and polyurethane. Among our areas of specialisations: heavy-duty wheels and rollers, rubber bellows, gaskets and diaphragms, guides for metal bar loaders, silent blocks, and semi-finished parts like sheets and bars.

EXSTO can support its customers with deep technical know-how, in order to perfect their performance. Thanks to its equipped metrologic lab and its wide knowledge of materials, EXSTO and Cervellati guarantee the highest quality control on the production.

CERVELLATI
dal 1937

EXSTO ITALIA S.r.l. a Socio Unico
Via Remigia 20-24-26,
40068 San Lazzaro di Savena (BO), Italy
+39 0516255095
www.exsto.it
acervellati@exsto.it